

GA093



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

RBW6205G08451-3G-PO

Job Sheet 185407



Part No: RBW6205G08451-3G-PO

Job Qty: 3 ea

Part Name: Puller Bolt Removal



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/25/18

Job Tracking No:

Due Date: 12/17/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBW6205G08451-3G Rev.2B IPP Rev. A 18.10.22 New issue DP Verify DD

Ship Via:

## Bill of Materials

## Job Routing

| Op No | Operation  | Qty   | Start Date | Due Date | Standard  |         | Workcenter/Supplier   |           | Sign-off    |
|-------|------------|-------|------------|----------|-----------|---------|-----------------------|-----------|-------------|
|       |            |       |            |          | Setup Hrs | Run Hrs | Workcenter / Supplier | Lead Time |             |
| 100   | Purchasing | 3 pcs |            | 12/17/18 | 0.00      | 0.00    | Purchasing            |           | DEC 17 2018 |
| 110   | Packaging  | 3 pcs |            | 12/17/18 | 0.00      | 0.00    | Packaging2            |           | DEC 17 2018 |
| 120   | QC         | 3 pcs |            | 12/17/18 | 0.00      | 0.00    | QC6                   |           | 38          |
| 130   | Packaging  | 3 pcs |            | 12/17/18 | 0.00      | 0.00    | Packaging3            |           | MLC 9-89    |
| 140   | QC21-FG    | 3 Ea  |            | 12/17/18 | 0.00      | 0.00    | QC21                  |           |             |

Part Op 100 - Issue P/O: 041367 MANUFACTURE RBW6205G08451-3G AS PER DWG Supplier: METEC Certificate of Descriptions: conformity is required

rh  
21  
9-89

DEC 17 2018

## Job BOM

| Part / Item       | Component Name      | Quantity | Operation      | Container |
|-------------------|---------------------|----------|----------------|-----------|
| RBW6205G08451-3GP | Puller Bolt Removal | 3 (1 ea) | 100-Purchasing | S137790   |

## Job Allocations

| Operation      | Component Part    | Required | Inventory | Allocated |
|----------------|-------------------|----------|-----------|-----------|
| 100-Purchasing | RBW6205G08451-3GP | 3        | 0         | 0         |

## Part Specifications

Specifications could not be found.



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
CANADA  
TEL: 1 613 632-5200  
Email: sales@dartaero.com  
www.dartaerospace.com

Container No: S137791



Part: RBW6205G08451-3G

Job No: 185407

Serial No/Batch: S137791

Revision: 2B

Inspector:

Exp Date:

Instructions:

Date: 12/17/18

Plex 10/25/18 2:01 PM dart.Lussier.Patrick

1000 1000  
1000 1000




1000  
1000  
1000

1000  
1000  
1000

1000 1000



| REVISIONS |                                                                                                                                                                                                          |            |         |          |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|----------|
| REV       | DESCRIPTION                                                                                                                                                                                              | DATE       | INITIAL | APPROVED |
| A         | ADDED .455 REF. DIMENSION.                                                                                                                                                                               | 9/24/2009  | WP      | GE       |
| 1         | CH'D HANDLE DIA. FROM $\varnothing 1.20$ TO $\varnothing 1.28$ . REF. DIM. WAS .455 IS NOW .767.                                                                                                         | 9/28/2009  | WP      | GE       |
| 2         | CH'D OD. WAS $\varnothing 1.28$ IS $\varnothing 1.276$ . MILLED FLAT WAS .51 IS .587 REF. AND .767 REF TO .50 REF. CH'D $032460$ TO $03$ $8$ $30$ AND $086460$ TO $086460$ . ALSO ADDED VISIB. KNURLING. | 10/3/2009  | WP      | RW       |
| 2A        | CH'D WAS CLEAR HARD ANODIZING IS CLEAR ANODIZING AND ADDED KNURL NOTE.                                                                                                                                   | 10/27/2010 | WP      | GE       |
| 3         | SEPARATED TOOLS FROM KIT BRW4205000331-3G. CH'D DIM. LOCATION WAS REF. .587 IS 1.23.                                                                                                                     | 10/17/2013 | CFS     | RW       |
| 4         | ADDED A31.39 TO USED ON MOIP.                                                                                                                                                                            |            |         |          |




|                                                                                                                                                             |                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <b>RED BARN MACHINE</b>                                               |                                                                                                                                                                                                                   |
| <b>TITLE</b><br>M/R BLADE RETENSION BOLT PULLER                                                                                                             |                                                                                                                                                                                                                   |
| <b>DWG NO.</b><br>RBW6205G08451-3G                                                                                                                          | <b>REV</b><br>2B                                                                                                                                                                                                  |
| <b>MAT'L</b> 6061<br>UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES<br>.XXX ± .005      FRACTIONS ± 1/32<br>.X ± .01      ANGLES ± 1°<br>.XX ± .001 | <b>DRAWN BY:</b> SMITH<br><b>APPROVED</b> <i>D. Weid</i><br><b>TEST</b><br><b>TREAT</b><br><b>FINISH</b> CLEAR ANODIZE<br><b>SPEC</b> MIL-A-8625F, TYPE II, CLASS I<br><b>USE ON MODEL</b><br><b>AGUSTA AW139</b> |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR 016°<br>2. DIMENSIONAL LIMITS APPLY AFTER<br>PLATING                                                              | <b>SCALE</b> 1:2 <b>DATE</b> 10/17/2013 <b>SHEET</b> 1 OF 1                                                                                                                                                       |



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS |                                                                                                                                                                                                                                                                             |            |         |          |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|----------|
| REV.      | DESCRIPTION                                                                                                                                                                                                                                                                 | DATE       | INITIAL | APPROVED |
| A         | ADDED 2.50 REF. DIMENSION TO -1. ALSO ADDED .455 REF. DIMENSION TO -3.                                                                                                                                                                                                      | 9/24/2009  | WP      | GE       |
| 1         | CH'D -3 HANDLE DIA., WAS $\varnothing 1.20$ IS $\varnothing 1.28$ . -3 REF. DIM., .455 IS NOW .767.                                                                                                                                                                         | 9/28/2009  | WP      | GE       |
| 2         | REMOVED ENGRAVING FROM -1. CH'D -3 OD. FROM $\varnothing 1.28$ TO $\varnothing 1.276$ . MILLED FLAT FROM .51 TO .587 REF., AND .767 REF. TO .50 REF. ALSO CH'D -3 .032 $\times$ .60" TO .03 @ 30°, AND .08 $\times$ .60" TO .08 $\times$ .60". ALSO ADDED VISIBLE KNURLING. | 10/3/2009  | WP      | RW       |
| 2A        | CH'D WAS CLEAR HARD ANODIZING IS CLEAR ANODIZING AND ADDED KNURL NOTE.                                                                                                                                                                                                      | 10/27/2010 | WP      | GE       |
| 2B        | SEPERATED TOOLS FROM KIT RBW6205G00331-3G. ADDED AW139 TO USED ON MODEL.                                                                                                                                                                                                    | 10/17/2013 | GFS     | RW       |



ORIGINAL No. REF.  
RBW3205G00331-3G  $\equiv$  3G3205G00331  
DO NOT USE, FOR REFERENCE ONLY.

FUNCTION: USED TO REMOVE AND INSTALL THE  
MAIN ROTOR BLADE BOLTS.

|                                                        |                         |
|--------------------------------------------------------|-------------------------|
| <b>RED BARN MACHINE</b>                                |                         |
| TITLE M/R BLADE RETENTION BOLT<br>REM/INSTL TOOL KIT   |                         |
| DWG NO. RBW6205G00331-3G                               | REV 2B                  |
| MAT'L                                                  | DRAWN BY: SMITH         |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES | APPROVED <i>D. Weil</i> |
| .XXX $\pm$ .005 FRACTIONS $\pm$ 1/32                   | REAL                    |
| .XX $\pm$ .01 ANGLES $\pm$ .5°                         | FINISH                  |
| .X $\pm$ .1                                            | SPEC                    |
| 1. BREAK ALL SHARP EDGES .016 $\times$ 45°<br>OR .016R | USED ON MODEL           |
| 2. DIMENSIONAL LIMITS APPLY AFTER<br>PLATING           | AGUSTA AW139            |
| SCALE 1:2                                              | DATE 10/17/2013         |
| SHEET 1 OF 1                                           |                         |

| ASSY QTY | ASSY QTY | B/O | Part # | UNIT QTY | Description | Material      | B/O INFORMATION OR SPECIFICATIONS | PG. |
|----------|----------|-----|--------|----------|-------------|---------------|-----------------------------------|-----|
|          |          |     | -1     | 1        | BOLT GUIDE  | 6061          | RBW6205G03451-3G                  | 1   |
|          |          |     | -3     | 1        | PULLER      | 6061          | RBW6205G08451-3G                  | 1   |
|          |          | B/O | -5     | 1        | PISTOL CASE | BLACK PLASTIC | R.S.R. SPORTS #10137              | N/S |







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041367**

**Supplier:** MEM001-VC  
Metec Metal Technology Inc.  
20 Terry Fox Drive PO Box 781  
Vankleek Hill  
ON  
K0B 1R0 Canada  
Phone: 613 678 3957  
Fax: 613 678 3956

**Attention:** Walz, Shigi

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**PO No:** PO041367  
**PO Date:** 10/16/18  
**Due Date:** 12/17/18

**Purchase Order**  
**Revision:**

**Revision Date:**

**Ship-To Contact:** Phone:

**Via:** Ground

**Pymt Terms:** Net 60

**Freight Terms:**

**Special Comments:**

*Revised*

## **Items**

| Line Item                                                     | Job    | Part              | Supplier Part No | Item No | Description                                              | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|---------------------------------------------------------------|--------|-------------------|------------------|---------|----------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| 1                                                             | 185295 | RBW6005G01631-3GP |                  |         | Dial Indicator Swash Plate Scissors Support REV A        | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$1,150.00/pcs   | \$2,300.00     |
| <b>Line Item Note</b> SIOP<br><i>ORDER 7886 17dec 2018</i>    |        |                   |                  |         |                                                          |        |         |          |                |                   |         |                  |                |
| 2                                                             | 185392 | RBW1205G00231-3Gp |                  |         | Main Rotor Damper Oil Filling Adapter REV 2B             | Firmed | -       | 12/17/18 | 3 pcs          | 0 pcs             | 3 pcs   | \$1,000.00/pcs   | \$3,000.00     |
| <b>Line Item Note</b> SIOP                                    |        |                   |                  |         |                                                          |        |         |          |                |                   |         |                  |                |
| 3                                                             | 185298 | RBW6405G00332-3GP |                  |         | Tail Rotor Pitch Control Adjustment Tool REV 5           | Firmed | -       | 12/17/18 | 1 pcs          | 0 pcs             | 1 pcs   | \$1,500.00/pcs   | \$1,500.00     |
| <b>Line Item Note</b> SIOP<br><i>ORDER 7886 17dec 2018</i>    |        |                   |                  |         |                                                          |        |         |          |                |                   |         |                  |                |
| 4                                                             | 185299 | RBW6005G01531-3GP |                  |         | Dial Indicator Main Rotor Damper Support REV 2           | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$900.00/pcs     | \$1,800.00     |
| <b>Line Item Note</b> SIOP                                    |        |                   |                  |         |                                                          |        |         |          |                |                   |         |                  |                |
| 5                                                             | 185300 | RBW6405G00531-3GP |                  |         | Tail Rotor Damper Length Adjustment Tool REV A           | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$700.00/pcs     | \$1,400.00     |
| <b>Line Item Note</b> SIOP<br><i>ORDER 7393 Jan 22, 2019</i>  |        |                   |                  |         |                                                          |        |         |          |                |                   |         |                  |                |
| 6                                                             | 185301 | RBW6405G02131-3GP |                  |         | Tail Rotor Blade Damper Attachment Bushing Removal REV D | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$500.00/pcs     | \$1,000.00     |
| <b>Line Item Note</b> SIOP<br><i>ORDER 11110 Jan 30, 2019</i> |        |                   |                  |         |                                                          |        |         |          |                |                   |         |                  |                |
| 7                                                             | 185302 | RBW6205G05951-3GP |                  |         | RBW6205G05951-3GP REV 2                                  | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$450.00/pcs     | \$900.00       |
| <b>Line Item Note</b> SIOP<br><i>ORDER 7392 6 Jan 2019</i>    |        |                   |                  |         |                                                          |        |         |          |                |                   |         |                  |                |







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041367**

| Items                                                                                       |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
|---------------------------------------------------------------------------------------------|--------|-------------------|------------------|---------|--------------------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| Line Item                                                                                   | Job    | Part              | Supplier Part No | Item No | Description                                                        | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
| 8                                                                                           | 185303 | RBW3205G00151-3GP |                  |         | Main Landing Gear R&R Wrench REV 2                                 | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$400.00/pcs     | \$800.00       |
| Line Item Note SIOP<br>ORDER 7393 22 Jan 2019                                               |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 9                                                                                           | 185349 | RBW6205G26631-3GP |                  |         | Wrench, MR Scissor Retaining Nut Removal/Install REV 2             | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$280.00/pcs     | \$560.00       |
| Line Item Note SIOP                                                                         |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 10                                                                                          | 185352 | RBW6205G26551-3GP |                  |         | Main Rotor Scissor Locknut REV B                                   | Firmed | -       | 12/17/18 | 2 Ea           | 0 Ea              | 2 Ea    | \$175.00/Ea      | \$350.00       |
| Line Item Note SIOP<br>2X DEC 17 2018                                                       |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 11                                                                                          | 185353 | RBW109-3101-58-2P |                  |         | Hammer, Aluminum, Blade Corrosion and Voids Detection REV 3        | Firmed | -       | 12/17/18 | 2 pcs          | 0 pcs             | 2 pcs   | \$150.00/pcs     | \$300.00       |
| Line Item Note SIOP                                                                         |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 12                                                                                          | 185354 | RBW109-3101-58-1P |                  |         | Hammer, Steel, Blade Corrosion and Voids Detection REV 3           | Firmed | -       | 12/17/18 | 1 pcs          | 0 pcs             | 1 pcs   | \$150.00/pcs     | \$150.00       |
| Line Item Note SIOP                                                                         |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 13                                                                                          | 185406 | RBW6205G03451-3GP |                  |         | Bolt Guide Removal & Install REV 2B                                | Firmed | -       | 12/17/18 | 3 Ea           | 0 Ea              | 3 Ea    | \$625.00/Ea      | \$1,875.00     |
| Line Item Note SUB ASSEMBLY OF RBW6205G00331-3G<br>ORDER 7393 22 Jan 2018                   |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 14                                                                                          | 185407 | RBW6205G08451-3GP |                  |         | Puller Bolt Removal REV 2B                                         | Firmed | -       | 12/17/18 | 3 Ea           | 0 Ea              | 3 Ea    | \$625.00/Ea      | \$1,875.00     |
| Line Item Note SUB ASSEMBLY OF RBW6205G00331-3G<br>3X DEC 17 2018<br>ORDER 7393 22 Jan 2018 |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 15                                                                                          | 185423 | RBW6205G08031-3GP |                  |         | Main Rotor Flanged Bushing Removal Tool REV 2                      | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$1,125.00/Ea    | \$1,125.00     |
| Line Item Note SUB ASSY FOR RBW6205G06231-3G<br>1X DEC 17 2018<br>ORDER 7393 22 Jan 2018    |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 16                                                                                          | 185424 | RBW6205G08131-3GP |                  |         | Main Rotor Flanged Bushing Install Tool REV 2                      | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$1,125.00/Ea    | \$1,125.00     |
| Line Item Note SUB ASSY FOR RBW6205G06231-3G<br>ORDER 7393 22 Jan 2018                      |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |
| 17                                                                                          | 185429 | RBW6405G08832-3GP |                  |         | Tail Rotor Bushing Install Tool As Per Dwg RBW6405G08832-3G Rev/ D | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$875.00/Ea      | \$875.00       |
| Line Item Note SUB ASSY FOR RBW6405G08832-3G<br>ORDER 7393 08 Jan 2019                      |        |                   |                  |         |                                                                    |        |         |          |                |                   |         |                  |                |







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO041367**

## **Items**

| Line Item                                    | Job    | Part                | Supplier Part No | Item No | Description                                                | Status | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD)   | Extended Price |
|----------------------------------------------|--------|---------------------|------------------|---------|------------------------------------------------------------|--------|---------|----------|----------------|-------------------|---------|--------------------|----------------|
| 18                                           |        | RBW6405G08732-3GP   |                  |         | Tail Rotor Bushing Removal Tool<br>RBW6405G08732-3G Rev. E | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$875.00/Ea        | \$875.00       |
| Line Item Note SUB ASSY FOR RBW6405G08632-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 19                                           | 185430 | RBW6205G10451-3GP   |                  |         | Threaded Rod                                               | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$208.33/Ea        | \$208.33       |
| Line Item Note SUB ASSY FOR RBW6205G08931-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 20                                           | 185431 | RBW6205G10551-3GP   |                  |         | Hammer                                                     | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$208.33/Ea        | \$208.33       |
| Line Item Note SUB ASSY FOR RBW6205G08931-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 21                                           | 185432 | RBW6205G10351-3GP   |                  |         | Guide REV 1                                                | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$208.33/Ea        | \$208.33       |
| Line Item Note SUB ASSY FOR RBW6205G08931-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 22                                           | 185433 | RBW6205G10251-3GP   |                  |         | Threaded Rod                                               | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$208.33/Ea        | \$208.33       |
| Line Item Note SUB ASSY FOR RBW6205G08931-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 23                                           | 185434 | RBW6205G10151-3GP   |                  |         | Pusher REV 1                                               | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$208.33/Ea        | \$208.33       |
| Line Item Note SUB ASSY FOR RBW6205G08931-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 24                                           | 185435 | RBW6205G10651-3GP   |                  |         | Stop                                                       | Firmed | -       | 12/17/18 | 1 Ea           | 0 Ea              | 1 Ea    | \$208.33/Ea        | \$208.33       |
| Line Item Note SUB ASSY FOR RBW6205G08931-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 25                                           | 185461 | RBW6305G26631-3G-1P |                  |         | Pin REV 2                                                  | Firmed | -       | 12/17/18 | 8 Ea           | 0 Ea              | 8 Ea    | \$56.25/Ea         | \$450.00       |
| Line Item Note SUB ASSY FOR RBW6305G26631-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| 26                                           | 185462 | RBW6305G26631-3G-3P |                  |         | Handle REV 2                                               | Firmed | -       | 12/17/18 | 8 Ea           | 0 Ea              | 8 Ea    | \$56.25/Ea         | \$450.00       |
| Line Item Note SUB ASSY FOR RBW6305G26631-3G |        |                     |                  |         |                                                            |        |         |          |                |                   |         |                    |                |
| <b>Grand Total:</b>                          |        |                     |                  |         |                                                            |        |         |          |                |                   |         | <b>\$23,959.98</b> |                |

## **Order Notes**

Procurement Quality Clauses  
A005 RIGHT OF ENTRY  
A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)  
A012 CHEMICAL AND PHYSICAL TEST REPORTS  
A016 PERSONNEL QUALIFICATION  
A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)  
A026 CERTIFICATION OF MATERIAL CONFORMANCE  
A041 QUALITY MANAGEMENT SYSTEM  
A042 DART NOTIFICATION BY SUPPLIER  
A043 RETENTION OF QUALITY DOCUMENT  
  
A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM  
A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Plex 11/29/18 8:45 AM dart.Lussier.Patrick





### Packing List

**Bill** Dart Aerospace Ltd.  
**To:** 1270 Aberdeen Street  
 Hawkesbury, ON K6A 1K7  
 Canada

**Ship** Dart Aerospace Ltd.  
**To:** 1270 Aberdeen Street  
 Hawkesbury, ON K6A 1K7  
 Canada

**Shipment No:** 24384  
**Shipment Date:** 13-Dec-2018  
**Ship Via:** Pick up at METEC  
**Order Number:** 3096  
**Order Date:** 10/17/18

**Customer Code:** DART  
**Phone:** (613) 632-9577  
**PO Number:** PO041367 ✓  
**Terms:** Net 60 Days

| ----- Quantity ----- |      |         |     |          |      |                                                                |          | Job     |
|----------------------|------|---------|-----|----------|------|----------------------------------------------------------------|----------|---------|
| Item                 | Open | Shipped | B/O | Canceled | Unit | Description                                                    | Revision | Number  |
| 11                   | 2    | 2 ✓     | 0   | 0        | EA   | DART-RBW6205G26551-3GP Main Rotor Scissor Locknut              | B        | 3096-11 |
| 15                   | 3    | 3 ✓     | 0   | 0        | EA   | DART-RBW6205G08451-3G M/R BLADE RETENSION BOLT PULLER          | 2B       | 3096-15 |
| 16                   | 1    | 1 ✓     | 0   | 0        | EA   | DART-RBW6205G08031-3GP Main Rotor Flanged Bushing Removal Tool | 2        | 3096-16 |
| 21                   | 1    | 1 ✓     | 0   | 0        | EA   | DART-RBW6205G10551-3GP Hammer                                  | -        | 3096-21 |
| 25                   | 1    | 1 ✓     | 0   | 0        | EA   | DART-RBW6205G10651-3GP Stop                                    | -        | 3096-25 |
| 26                   | 8    | 8 ✓     | 0   | 0        | EA   | DART-RBW6305G26631-3G-1P MGB Alignment Pin                     | 2        | 3096-26 |

DAS  
 38  
 9-89

The delivered goods must be inspected upon receipt to confirm compliance. Should there be discrepancies please notify METEC within 30 days of delivery. The goods are otherwise deemed accepted.







20 Terry Fox Drive, Vankleek Hill, Ontario K0B 1R0  
Tel. (613) 678-3957 & (613) 678-2782 Fax (613) 678-3956 [metec@metec.ca](mailto:metec@metec.ca)

## CERTIFICATE OF CONFORMITY

SOLD TO:

Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, Ont.  
K6A 1K7

SHIPPED TO:

same

| Quantity | Part Number                   | Part Name                                  | Dwg<br>Rev.# | P.O. Number |
|----------|-------------------------------|--------------------------------------------|--------------|-------------|
| 1 ✓      | DART-RBW6205G26551-✓<br>3GP   | Main Rotor Scissor Locknut                 | B            | 41367 ✓     |
| 3 ✓      | DART-RBW6205G08451-✓<br>3G    | M/R BLADE RETENSION BOLT<br>PULLER         | 2B           | 41367 ✓     |
| 1 ✓      | DART-RBW6205G08031-✓<br>3GP   | Main Rotor Flanged Bushing<br>Removal Tool | 2            | 41367 ✓     |
| 1 ✓      | DART-RBW6205G10551-✓<br>3GP   | HAMMER                                     | 2            | 41367 ✓     |
| 1 ✓      | DART-RBW6205G10651-✓<br>3GP   | STOP                                       | -            | 41367 ✓     |
| 8 ✓      | DART-RBW6305G26631-✓<br>3G-1P | MGB Alignment Pin                          | 2            | 41367 ✓     |

DAS  
38  
9-89

MATERIAL: supplied by METEC

We hereby certify that the above parts were made in conformance with applicable drawings.

METEC Metal Technology Inc.



